

Labstat

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RC0639128

Certificate of Analysis

Sample:KN40523001-001 Harvest/Lot ID: PGD82405 Batch#: PGD82405 Sample Size Received: 10 gram Retail Product Size: 2 gram Ordered : 05/20/24 Sampled : 05/20/24 Completed: 06/18/24

Jun 18, 2024 | Primary Jane LLC

77 Derry St #275 Hudson, NH, 03051, US

Page 1 of 1 PRODUCT IMAGE SAFETY RESULTS MISC Hq Pesticides Heavy Metals **Residuals Solvents** Water Activity Microbials **Mycotoxins** Filth Moisture Terpenes NOT TESTED NOT TESTED NOT TESTED NOT TESTED PASSED Potency d8-THC Total CBD Total Cannabinoids 76.9834% 8.1421% 86.5071% CBDVA CBDA CBD THCV CBDV CBGA CBG CBN CBC THCA D9-THC D8-THC % 0.7914 ND 6.5578 2.391 ND. ND 0.5902 ND ND ND ND 76.9834 7.914 65.578 769.834 ma/a ND 23.91 ND ND 5.902 ND ND ND ND 0.030 0 050 0 040 0.080 0 060 0.060 0.080 0.040 0 120 0 140 0 130 0 090 ppm ppm

Testing was completed at a reference facility with DEA Number: RP0607436 ISO/IEC 17025:2017 Certificate #: 6400.01

This report shall not be reproduced, unless in its entirety, without written approval from Certified Laboratories/Labstat. This report is a Certified Laboratories/Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. Some testing may be performed at Blue Bonnet Labs (DEA#RP0607436). ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Darren Converse

State License # n/a ISO Accreditation # 17025:2017 Dlonau_ Signature



Signed On



PASSED

Matrix: Concentration